JADUAL I (SCHEDULE I)

Type Approval Performance Requirements (G/N - Machinery/Commercial Vehicle)

Item No.	Subject	Particulars of instrument or other documents containing requirements	Nature of requirement	Date of application
1	Power to weight ratio	Rule of the motor vehicle (C&U)1959. (Minimum 6hp/t)		
2	Indicator Performance	E.C.E R6		
3	Brake Lamp Performance	E.C.E R7		
4	Brake Performance	E.C.E R13		
5	Safety Belt Anchorages	M.S 1175 E.C.E R14		
6	Exhaust emission (Petrol/LPG/CNG engine)	Peraturan-Peraturan Kualiti Alam Sekeliling (Kawalan Pelepasan Daripada Enjin Petrol) 1996. E.C.E R15 / R83		
7	Seats	E.C.E R17		
8	Protection Against Unauthorised Use	M.S 1742 E.C.E R18 / R97 / R116		
9	Smoke emission (diesel engine)	Peraturan-Peraturan Kualiti Alam Sekeliling (Kawalan Pelepasan Daripada Enjin Disel) 1996. E.C.E R24 / R49		
10	Head Restraint	E.C.E R25		
11	Audible Warning Device	E.C.E R28		

Item No.	Subject	Particulars of instrument or other documents containing requirements.	Nature of requirement	Date of application
11	Tyres	M.S. 1394 E.C.E. R30 / R54 FMVSS 119		
12	Speedometer	E.C.E.R39		
13	Safety Glass	M.S 595 E.C.E R43		
14	Rear View Mirrors	E.C.E R46		
15	HID Head Lamp Performance (if any)	M.S ISO 303 E.C.E R48 / R98 / R99		
16	Noise Emission	Peraturan-Peraturan Kualiti Alam Sekeliling (Bunyi Bising Kenderaan Motor) 1987. E.C.E R51		
17	Rear Underrun Protection (if any)	E.C.E R58		
18	Rear Marking Plates for Slow Moving Vehicles (if any)	E.C.E R69		
19	Rear Marking Plates for Heavy and Long Vehicles (if any)	E.C.E R70		
20	Lateral Protection (if any)	E.C.E R73		
21	Steering Equipment	E.C.E R79		
22	Front Underrun Protection (if any)	E.C.E R93		
23	Protection of the Occupants in the Event of a Lateral Collision (if any)	E.C.E R95		

Item No.	Subject	Particulars of instrument or other documents containing requirements.	Nature of requirement	Date of application
24	Battery Electric Vehicles (if any)	E.C.E R100		
25	Retro-reflective Markings for Heavy and Long Vehicles (if any)	E.C.E R104		
26	Head Lamp Performance	E.C.E R112 / R113		

APPLICATION FOR TYPE APPROVAL OF MOTOR VEHICLE

Reference No :				
Date o	of submission.			
Part 1	: <u>General Information</u>			
1.	Applicant's name and address			
	- <u></u>			
2.	Make (Manufacturer) :			
۷.	Model Name :			
	Model Voor:			
	Model Year :			
3.	Type and configuration body:			
4.	Country of manufacture			
т.	Country of manufacture			
5.	Proposed usage			
J.				

Part II. Specifications

Please

(*) state/specify MS/SCE/ADR/JIS/other. 1. **Dimensions** Overall length (mm) (a) (b) Overall width (mm) Overall height (mm) (c) Wheel base (mm) (d) Between first and second axles ii. Between second and third axles iii. Between third and fourth axles Ground clearance (mm) (e) i. Unladen ii. Fully laden Wheel treads (mm) (f) i. Front axles ii. Rear axles (g) Body overhang (mm) i. Front end ii. Rear end Chassis frame overhang (mm) (h) (For chassis-cab model) i. Front end ii. Rear end

performance

according

standard

	(i) Minimum turning circles (mm)			
		i.	Kerb to kerb	
		ii.	Body to body	
	(j)	Gravit	y height (mm)	
2.	Weigh	nt		
	(a)	Kerb \	Weight (kg)	
		i.	Front axles	
		ii.	Rear axles	
	(b)	Numb	er of axles	
	(c)	Axle F	Rating	
		i.	Front axles (kg)	
		ii.	Rear first axles (kg)	
		iii.	Rear second axles (kg)	
	(d)	Desig	n gross vehicle weight (kg)	
3.	Maxin	num sta	able inclination angle	
4.	Seatir	ng capa	acity (person)	
5.	Drive:	Front	wheel/Rear wheel/4 wheel	
6.	Spaci	ng for t	he display of registration number plate	ə:
		Front		
		Rear		
7.	Engin	е		
	(a) N	lame o	f producer	
	(b) T	ype an	d model	
	(c) P	osition	of mounting	

d)	Type	of fuel	
(e)		e capacity	
(f)	Cycle		
(g)	No of	cylinder	
(h)	Cylind	der arrangement	
(i)	Bore 2	X Stroke	
(j)	Pistor	n Displacement	
(k)	Valve	arrangement	
(I)	Comp	ression ratio	
(m)	Max.	net power (KW @ r.p.m.)	
(n)	Max.	net torque (kN m @ r.p.m)	
(0)		of supercharger oocharger	
(p)	Emiss	sion gas control system	
(q)	Lubrio	cating system	
	(i)	Lubricating method	
	(ii)	Type of oil pump	
	(iii)	Type of oil filter	
	(iv)	Capacity of lubricating oil (I)	
	(v)	Type of oil cooler	
(r)	Coolir	ng system	
	(i)	Cooling method	
	(ii)	Type of radiator	
	(iii)	Capacity of cooling water	
	(iv)	Type of water pump	
	(v)	Type of thermostat	

Fuel	system	1	
(a)	Fuel	tank	
	(i)	Material	
	(ii)	Capacity (litre)	
	(iii)	Position	
(b)	Fuel	Pump	
	(i)	Туре	
	(ii)	Flow rate	
(c)	Fuel	Filter	
	(i)	Туре	
	(ii)	Flow rate	
(d)	Fuel	Injection	
	(i)	Туре	
	(ii)	Model	
	(iii)	Method	
(e)	Carb	uretor	
	(i)	Туре	
	(ii)	Diameter of throttle valve (mm)	
	(iii)	Diameter of venture (mm)	
	(iv)	Type of choke valve	
(f)	Air cl	leaner	
	(i)	Туре	
	(ii)	Number	

8.

	(g)	LPG/I	NGV/CNG equipment	
		(i)	Make and Model of LPG/NGV/CNG kit	
		(ii)	Make and model of container	
		(iii)	Capacity of container	
		(iv)	Supplier and authorised installer	
9.	Trans	missio	n system	
	(a)	Туре	of clutch	
	(b)	No. of	f speed	
	(c)	Туре	of transmission	
	(d)	Torqu	e convertor pressure	
	(e)	Gear	ratio (to 1)	
		1 st g	ear	
		2nd g	ear	
		3rd ge	ear	
		4th ge	ear	
		5th ge	ear	
		6th ge	ear	
		Reve	rse gear	
		Differ	ential gear	
		Whee	al hub reduction	

10.	Runni	ng sys	tem	
	(a)	Front	axle type	
	(b)	Rear	axle type	
	(c)	Tyre s	size	
		(i)	Front tyre	
		(ii)	Rear tyre	
		(iii)	Spare tyre	
	(d)	Rim s	ize	
		(i)	Front wheel	
		(ii)	Rear wheel	
		(iii)	Spare wheel	
	(e)	Optio	nal tyre and rim size	
		(i)	Front wheel	
		(ii)	Rear wheel	
		(iii)	Spare wheel	
	(f)		essure	
	`,		Front wheel	
		(ii)	Rear wheel	
		(iii)	Spare wheel	
	(g)	Ply ra		
	(9)	(i)	Front wheel	
		(ii)	Rear wheel	
		(iii)	Spare wheel	
		(''' <i>)</i>	Oparo Willou	

	(h)	Maxir	mum load on tyre	
		(i)	Front wheel	
		(ii)	Rear wheel	
		(iii)	Spare wheel	
11.	Susp	ension	system	
	(a) F	ront ax	le	
		(i)	Type of suspension	
		(ii)	Type of spring	
		(iii)	Material of spring	
		(iv)	Dimensions of main spring	
		(v)	Number of main spring	
		(vi)	Dimensions of auxiliary spring	
		(vii)	Number of auxiliary spring	
	(b)	Rear	axle	
		(i)	Type of suspension	
		(ii)	Type of spring	
		(iii)	Material of spring	
		(iv)	Dimensions of main spring	
		(v)	Number of main spring	
		(vi)	Dimensions of auxiliary spring	
		(vii)	Number of auxiliary spring	

	(c)	Type	of shock absorber	
		(i)	Front wheel	
		(ii)	Rear wheel	
		(iii)	Name of producer	
	(d)	Type	of stabilizer	
		(i)	Front wheel	
		(ii)	Rear wheel	
		(iii)	Name of producer	
12.	Steer	ing Sys	stem	
	(a)	Steer	ing wheel positions (LHS/RHS)	
	(b)	Front	wheel alignment	
		(i)	Amount of side slip	
	(c)	Boost	ter	
		(i)	Туре	
		(ii)	Name of producer	
	(d)	Locki	ng device	
		(i)	Туре	
		(ii)	Name of producer	,
		(iii)	Mounting position	

13. Brake System

(a)

	(i) Ty	ре	
		-Front	
		-Rear	
	(ii)	Size of brake	
	(iii)	Control system and No. of braking wheel	
	(iv)	Brake pipes/hoses	
		-Material	
	(v)	Booster	
		-Type	
		-Magnification	
	(vi)	Braking efficiency	
		-Front	
		-Rear	
	(vii)	Other safety device incorporated (ABS/SLIPS/LSD or others)	
(b)	Parkir	ng brake (Attached test report for service b	rake)
	(i)	Туре	
	(ii) Br	aking efficiency	
		-Front	
		-Rear	

Service brake (Attached test report for service brake)

	(c)	Auxiliary brake (if any)					
		(i)	Туре				
		(ii)	Performance*				
	(d)	Emer	gency brake (if any)				
		(i)	Туре				
		(ii)	Performance*				
	(e)	Separ	rate brake (if any)				
		(i)	Туре				
		(ii)	Performance*				
14.	Chass	assis frame					
	(a)	Туре					
	(b)	Cross	section dimension				
	(c)	Туре	of material				
	(d)	Туре	of side protection device				
	(e)	Samp	le of chassis code number				
15.	Body						
	(a)	Туре					
	(d)	Any b	ack protection device				
16.	Equip	ment fo	or passengers				
	(a)	Seat b	pelt anchorage				
		(i)	Туре				
		(ii)	Number				
		(iii)	Performance*				

(b)	Seat belt			
	(i)	Name of producer		
	(ii)	Туре		
	(iii)	Number		
	(iv)	Performance*		
(c)	Head	restraint		
	(i)	Name of producer		
	(ii)	Туре		
	(iii)	Number		
	(iv)	Performance*		
(d)	Doors	3		
	(i)	Туре		
	(ii)	Number _		
	(iv)	Performance*		
Glass				
(a)	Front	windscreen		
	(i)	Name of producer		
	(ii)	Kind/Type of glass		
	(iii)	Thickness		
	(iv)	% of light transmission		
	(v)	Performance*		

17.

	(D)	Side windows		
		(i)	Name of producer	
		(ii)	Kind/Type of glass	
		(iii)	Thickness	
		(iv)	% of light transmission	
		(v)	Performance*	
	(c)	Rear	screen	
		(i)	Name of producer	
		(ii)	Kind/Type of glass	
		(iii)	Thickness	
		(iv)	% of light transmission	
		(v)	Performance*	
18.	Noise	prevei	ntion device	
	(a)	Silend	cer	
		(i)	Name of product	
		(ii)	Туре	·
		(iii)	Number	
	(b)	Noise	level (dBA)	
		(i)	Stationary (Attached test report and method test)	
		(ii)	Accelerated running (Attached test report and method test)	
		(iii)	Performance*	

19.	Exhaust emission control device (Attached test report)						
	(a)	Туре					
	(b)	Position and direction of exhaust pipe opening					
	(c)	HSU level/K (free acceler					
	(d)	CO) _				
	(e)	HC) idling mode				
	(f)	NOx) 				
	(g)	H ₂ O)) _				
	(h)	СО)				
	(i)	HC) as per) ECE) 15.04)				
	(j)	NOx					
	(k)	H ₂ O)				
	(I)	Performance	e*				
20. Electrical System							
	(a)	Operating vo					
	(b)	Type of Ignit	ion system				
	(c)	Type of elector or prevention	tric wave noise suppression n device				
	(d)	Spark Plug					
		(i) Type					
		(ii) Gap					
	(d)	Battery capa	city (AH)				

	(e)	Charg	ging system	
		(i)	Туре	
		(ii)	Output	
	(f)	Startir	ng system	
		(i)	Туре	
		(ii)	Output	
21.	Lightir	ng equi	ipment	
	(a)	Head	lamps	
		(i)	Name of producer	
		(ii)	Туре	
		(iii)	Numbers, colourwatts	
		(iv)	Automatic or manual low and high adjuster	
		(v)	Performance*	
	(b)	Front	fog lamps	
		(i)	Name of producer	
		(ii)	Туре	
		(iii)	Numbers, colourwatts	
		(iv)	Performance*	
	(c)	Front	turning lamps	
		(i)	Name of producer	
		(ii)	Туре	
		(iii)	Numbers, colourwatts	
		(iv)	Rate of flashing	
		(v)	Performance*	

(d)	Front side turning lamps				
	(i)	Name of producer			
	(ii)	Туре			
	(iii)	Numbers, colourwatts			
	(iv)	Performance*			
(e)	Daytir	ne running lamps			
	(i)	Name of producer			
	(ii)	Туре			
	(iii)	Numbers, colourwatts			
	(iv)	Performance*			
(f)	Rear	reflex reflector			
	(i)	Name of producer			
	(ii)	Туре			
	(iii)	Numbers, colourwatts			
	(iv)	Performance*			
(g)	High r	mount stop lamps (3rd brake light)			
	(i)	Name of producer			
	(ii)	Туре			
	(iii)	Numbers, colourwatts			
	(iv)	Performance*			
(h)	Tail la	mps			
	(i)	Name of producer			
	(ii)	Туре			
	(iii)	Numbers, colourwatts			
	(iv)	Performance*			

(i)	Stop lamps		
	(i)	Name of producer	
	(ii)	Туре	
	(iii)	Numbers, colourwatts	
	(iv)	Performance*	
(j)	Rear t	curning lamps	
	(i)	Name of producer	
	(ii)	Туре	
	(iii)	Numbers, colourwatts	
	(iv)	Performance*	
	(v)	Rate of flashing	
(k)	Hazar	d light (front/rear)	
	(i)	Name of producer	
	(ii)	Туре	
	(iii)	Numbers, colourwatts	
	(iv)	Performance*	
	(v)	Rate of flashing	
(I)	Passe	enger compartment lamp	
	(i)	Name of producer	
	(ii)	Туре	
	(iii)	Number and colour	
	(iv)	Performance*	

(m)	Back	Back -up lamps					
	(i)	Name of producer					
	(ii)	Туре					
	(iii)	Numbers, colourwatts					
	(iv)	Performance*					
(n)	Licen	se lamps (front/rear)					
	(i)	Name of producer					
	(ii)	Туре					
	(iii)	Numbers, colourwatts					
	(iv)	Performance*					
(o)	Rear	fog lamps					
	(i)	Name of producer					
	(ii)	Туре					
	(iii)	Numbers, colourwatts					
	(iv)	Performance*					
(p)	Rear	side marker lamps					
	(i)	Name of producer					
	(ii)	Туре					
	(iii)	Numbers, colourwatts					
	(iv)	Performance*					
(q)	Good	ds compartment lamps					
	(i)	Name of producer					
	(ii)	Туре					
	(v)	Numbers, colour,watts					
	(iv)	Performance*					

22.	Warni	ing device			
	(a)	Horn			
		(i)	Name of producer		
		(ii)	Туре		
		(iii)	Level of loudness		
		(iv)	Performance*		
23.	Rear	view m	irror (Automatic or manual adjustment)		
	(a)	Left			
		(i)	Туре		
		(ii)	Dimension and radius curvature		
	(b)	Right			
		(i)	Туре		
		(ii)	Dimension and radius curvature		
	(c)	Inside			
		(i)	Туре		
		(ii)	Dimension and radius curvature		
		(iii)	One way or two ways adjustment		
24.	Wiper	S			
	(a)	Туре			
	(b)	Numb	er		
	(c)	c) Performance*			

25.	Mete	Meters and dash board						
	(a)	Spe	Speedometer					
		(i)	Type					
		(ii)	Performance*	-				
	(b)	Tach	nometer					
		(i)	Type					
		(ii)	Performance*					
	(c)	Odo	meter					
		(i)	Type					
		(ii)	Performance*					
	(d) Other meter fitted							
		(i)	Type					
		(ii)	Performance*					
26.	Othe	r acce	ssories fitted					
	(a)							
	(b)							
	(c)							
	(d)							
	(e)							

Part III. Other Information

The following documents shall be submitted:-

1. Chassis frame strength calculation (not necessary for the monocoque body frame.

The strength calculation shall be attached.

Please specify the standard adopted.

Note: The measurement by strain gauge etc. may be substituted for strength calculation.

2. Braking Ability Calculation

The braking test data by test vehicles may be substituted for braking ability calculation.

Please specify the standard adopted.

3. Test data/ reports to be attached

The test data/ report as per the requirement as stipulated in schedule 1 of the motor vehicles (Type Approval and Recalling) rules 1998 shall be attached.

I hereby certify that to the best of my knowledge, the above information are correct and I fully understand that should any of the above information is found to untrue, the application may be rejected or the type approval certificate, if issued, may be cancelled or suspended.

Date:		
		(Signature)
	Name:	
	Position:	



BORANG MAKLUMAT SIJIL KELULUSAN JENIS KENDERAAN (VEHICLE TYPE APPROVAL)

BUATAN	
NAMA MODEL	
KOD MODEL	
MODEL TAHUN	
JENIS / PREFIX NOMBOR ENJIN	,
	Stroke
KAPASITI / KUASA ENJIN (KW)	
BAHAN BAKAR (RON)	
BILANGAN TEMPAT DUDUK	
TRANSMISI (Speed)	
JENIS BADAN	
KEGUNAAN	
KOD BUATAN	
NEGARA PEMBUAT (CBU/CKD)	
NAMA & ALAMAT PEMOHON	
	Pengesahan Syarikat
	(Nama Syarikat:)